









Ultrasun Q16



View on our website

Unveil the New Standard

Standard equipped with



Age Control



Aurora Light Deco



Bluetooth*



BodyCooler



Electronic Ballasts



Facial Lamps



Flat Acrylic



Hybrid Lamps



IQ Touch Control



LED Colour Control



LED Shoulder Lights



Salon Music*



SoundBoost*



Voice Guide*



Wellness Sound*

*Part of Full Audio Module

Additional options



Available Colors



Charcoal Grey Matte



Lamp Specifications UV3

Top Lamps: 14 x Sunfit VRX3 160W E-Tronic | 176 cm

8 x Sunfit CollaTan VRX3 160W E-Tronic | 176 cm

Base Lamps: 10 x Sunfit VX3 180W E-Tronic | 190 cm

8 x Sunfit CollaTan XL3 180W E-Tronic | 190 cm

Facial Lamps: 3 x Sunfit SE500W

Shoulder Lamps: 2 x 9 Red Light LED **Max. session time:** 20 minutes

Technical and Electrical Specifications

THREE PHASE + AIRCO SINGLE PHASE

Socket requirement: 16A/phase TPN&E 32A/phase TPN&E 63A

Socket type: Female Commando Socket Female Commando Socket Female Commando Socket

Trip size: 16A/phase - C-type 32A/phase - C-type 50A - C-type


Power consumption: 9,000W 10,000W 9,000W





Ventilation: 1 x 150 mm / 1 x 200 mm **Air extraction hose:** included

Weight and Dimensions

All dimensions in mm. Between brackets in inches.









Any queries?

on 01603 789 010

Please call Helionova







Net weight: 355 kgNet weight + airco: 395 kg

Hose 1x Ø150mm (Ø5.9") 1x Ø200mm (Ø7.8")



Hyperion House, Alston Road Norwich, Norfolk, NR6 5DS United Kingdom 01603 789010 sales@helionova.co.uk helionova.co.uk

