

TECHNICAL PRODUCT SHEET

# Q6-2

**HYBRID**

Q6

 **ULTRASUN**



34 LAMPS

# Ultrasun Q6-2

## Compact + Stylish



View on our website

### Features



Bluetooth\*



BodyCooler



Electronic Ballasts



Facial Lamps



Hybrid Lamps



IQ Touch Control



LED Color Control



Salon Music\*



SoundBoost\*



T-Max Compatible



Voice Guide\*



Wellness Sound\*

*\*Part of Full Audio Module*

### Available Colors



**Dream White Metallic**

### Weight

**Net weight:** 441 lbs

**Crated weight:** 518 lbs

### Dimensions\*\* (LxWxH)

**Open:** 84" x 48" x 58"

**Closed:** 84" x 42" x 49"

**Boxed:** 90" x 45" x 59"

**Recomm. room size:** 8' x 7'



## Lamp Specifications UV4 - Hybrid

|                            |  |
|----------------------------|--|
| <b>Canopy Lamps:</b>       | 12 x Sunfit VRX 160W E-Tronic   176 cm<br>4 x Sunfit CollaTan VRX 160W E-Tronic   176 cm |
| <b>Bench Lamps:</b>        | 12 x Sunfit XL 120W E-Tronic   190 cm<br>4 x Sunfit CollaTan RXL 120W E-Tronic   190 cm  |
| <b>Facial Lamps:</b>       | 2 x Sunfit WL 500W High-Pressure   |
| <b>Max. exposure time:</b> | 15 minutes   |

---

## Technical Specifications

|                             |                               |
|-----------------------------|-------------------------------|
| <b>Power supply:</b>        | Single Phase 220V + PE   60Hz |
| <b>Power:</b>               | 5,700W                        |
| <b>Breaker/fuse (slow):</b> | 35 Amp                        |
| <b>Air extraction hose:</b> | not included                  |



**\*\* Maintain 4-6" clearance around the device for air circulation.**



© 2025 Ultrasun International B.V.  
 Product images may differ slightly from reality.  
 Changes in specifications and design as well as  
 printing and typographical errors are reserved.



📍 5650 Elmwood Ave  
 Indianapolis, IN 46203, USA

☎ 317-217-1700  
 ✉ [info@tanningsuppliesunlimited.com](mailto:info@tanningsuppliesunlimited.com)  
 🌐 [tanningsuppliesunlimited.com](http://tanningsuppliesunlimited.com)